


ATOM

Atom Hide

BODY MAT AL		IP 20	2 MacAdam	 90°	 320°		WELL	
----------------	--	----------	--------------	---------	----------	--	------	--

14 60



48



0-18 mm

LED Max. 350mA 9V					
K	CRI	W LED	Real Lm	Optics	Code
2700	90	3,1	269	Medium 37°	90-8013 - 14 - 60 - 00
3000	90	3,1	269	Medium 37°	90-8014 - 14 - 60 - 00
x1	x8	x4	x5	x4	
ON-OFF	ON-OFF	DALI/DALI2	PHASE CUT 240V / PUSH	1-10V / PUSH	
71-7364	71-3542	71-6192	71-4898	71-7710	




Smart Compatible accs. / Acc. Smart Compatible

71-A260-00-00 Driver Casambi 350-1050mA 38W

Atom Hide

BODY MAT		IP	2				WELL	
AL		20	MacAdam	90°	320°			

14 60 81 DN



LED Max. 350mA 36V						
K	CRI	W LED	Real Lm	Optics	Code	
2700	90	8,2	428	Narrow 8°	90-A021	14
2700	90	12,1	853	Medium 24°	90-7273	60 - 00
2700	90	12,1	928	Medium 32°	90-7274	81 - 00
2700	90	12,1	778	Flood 44°	90-7275	DN
2700	90	12,7	518	Zoom 16-47°	90-A060	14 - 00 60
3000	90	8,2	437	Narrow 8°	90-A038	14
3000	90	12,1	853	Medium 24°	90-7276	60 - 00
3000	90	12,1	928	Medium 32°	90-7277	81 - 00
3000	90	12,1	778	Flood 44°	90-7278	DN
3000	90	12,7	551	Zoom 16-47°	90-A061	14 - 00 60
4000	90	8,2	459	Narrow 8°	90-A039	14
4000	90	12,1	981	Medium 24°	90-A003	60 - 00
4000	90	12,1	1067	Medium 32°	90-A004	81 - 00
4000	90	12,1	895	Flood 44°	90-A005	DN
4000	90	12,7	577	Zoom 16-47°	90-A062	14 - 00 60
71-6652		71-7710		71-5272		71-A191


Not included / Non inclus	
5 x Halo diffuser 5 x Diffuseur de halo	71-6275-00-00
5 x Elliptical diffuser 5 x Diffuseur elliptique	71-6274-00-00
5 x Honeycomb panel 5 x Grille en nid d'abeille	71-6273-60-00
Frontal white ring Anneau frontal blanc	71-6436-14-00
Frontal gold ring Anneau frontal doré	71-6436-23-00
Visual comfort Confort visuel	71-6276-60-00
Visor Visière	71-6277-60-00

Smart Compatible accs. / Acc. Smart Compatible
71-A260-00-00 Driver Casambi 350-1050mA 38W

Atom Hide

BODY MAT		IP	2				WELL	
AL		20	MacAdam	90°	320°			

14 60



LED Max. 700mA 36V								
K	CRI	W LED	Real Lm	Optics	Code			
2700	90	13,5	1634	Spot 16°	90-A040			
2700	90	24	2404	Medium 22°	90-8007 - 14 - 00			
2700	90	24	1991	Medium 35°	90-8008 - 60 - 00			
2700	90	24	1567	Medium 40°	90-8009			
3000	90	13,5	1667	Spot 16°	90-A019			
3000	90	24	2404	Medium 22°	90-8010 - 14 - 00			
3000	90	24	1991	Medium 35°	90-8011 - 60 - 00			
3000	90	24	1567	Medium 40°	90-8012			
4000	90	13,5	1751	Spot 16°	90-A041			
4000	90	24	2765	Medium 22°	90-A009 - 14 - 00			
4000	90	24	2290	Medium 35°	90-A010 - 60 - 00			
4000	90	24	1802	Medium 40°	90-A011			
	ON-OFF			PHASE CUT 240V		1-10V/PUSH		DALI2
71-6653			71-7714		71-3475		71-A192	

Not included / Non inclus	
5 x Halo diffuser 5 x Diffuseur de halo	71-6281-00-00
5 x Elliptical diffuser 5 x Diffuseur elliptique	71-6280-00-00
5 x Honeycomb panel 5 x Grille en nid d'abeille	71-6279-60-00
Frontal white ring Anneau frontal blanc	71-6437-14-00
Frontal gold ring Anneau frontal doré	71-6437-23-00
Visual comfort Confort visuel	71-6282-60-00
Visor Visière	71-6283-60-00

Smart Compatible accs. / Acc. Smart Compatible	
71-7737-00-00	Driver D4i 700mA 27W