

Tubs Modular



+ Tubs Modular



Organic three-dimensionality

Tubs is an organic lighting system that can fill a space with a strong lighting presence or fill a void with a pleasant ambient effect. Its dynamism is based on this duality: its ability to switch between easily shining its light halo directly or working with a reflected light. In any case, its modular structure means its shape can be configured as desired thanks to a broad range of connectors and how easy it is to connect them.

Tridimensionnalité organique

Tubs est un système d'éclairage organique, capable de remplir l'espace de sa forte présence lumineuse ou d'occuper le vide grâce à un agréable effet d'ambiance. Son dynamisme repose sur cette dualité, celle de pouvoir jouer avec la possibilité d'orienter facilement son halo lumineux avec un effet direct ou de travailler avec une lumière réfléchie. Quoi qu'il en soit, sa structure modulaire permet de configurer sa forme au gré des envies, grâce aux nombreux connecteurs et à leur grande facilité d'assemblage.




Configurator for customisation available.
Configurateur de personnalisation disponible.

tubs.ledsc4.com


Configure your Tubs Modular Configurez votre Tubs Modular

1 Installation Installation

Ceiling pendant




Ceiling/Wall surface



2 Ceiling rose Patère

Ceiling
Surface



Recessed




Recessed mini*



Wall

Potentiometer



Recessed mini*



3 Components Composants

Light Tubes



605 mm
900 mm
1200 mm
1495 mm



Ø 600mm

Tracks



50 mm
900 mm
1495 mm

Light Tubes connectors



Initial/final




180°



90°




120°




135°



Triple



Cuadruple



Flexo



Wall attachment
clip

Track connectors



Between levels

Accessories



Honeycomb



Spot



Sphere
Opal or transparent



Disc
Opal or transparent

4 Light temperature Température de la lumière



2700K



3000K

5 Power supply Source d'alimentation

ON/OFF 105 W

DALI 105 W

ON/OFF 180 W

DALI 180 W

ON/OFF 320 W

DALI 320 W



Configure your luminaire
Configurez votre luminaire



Possibility of creating compositions with different levels of vertical suspension.
Possibilité de créer des compositions à différents niveaux de suspension verticale.




Possibility of creating compositions with different levels of vertical suspension.
Possibilité de créer des compositions à différents niveaux de suspension verticale.




Fast and easy assembly system.
Système de montage simple et rapide.

Tubs Modular has accessories in different finishes.
Tubs Modular propose des accessoires de différentes finitions.






Recessed installation.
Installation encastré.



Recessed installation.
Installation encastré.



Wall-mounted installation.
Installation en surface.



Wall-mounted installation.
Installation en surface.



Remote installation with mini rosette.
Installation à distance avec mini rosace.



Remote installation with mini rosette.
Installation à distance avec mini rosace.

Hanging structures that can either be surface-mounted or installed as pendants, with different ceiling rose options.

Structures suspendues avec possibilité d'installation en surface ou suspension et différentes options de patère.

Wall structures with various installation options.
Structures murales offrant différentes options d'installation.



Remote installation with mini rosette.
Installation à distance avec mini rosace.



Installation with external case and plug.
Installation avec boîtier extérieur et prise.



GA-GA ● GB-GB ●

With the felt panels, you can create customisable compositions, providing the installation with sound-absorbing properties. Avec les panneaux de feutre, il est possible de créer des compositions personnalisables en ajoutant des caractéristiques d'absorption acoustique à l'installation.


Not included
Non inclus

	Finishing	Code
	GA ●	71-8498-GA-GA
	GB ●	71-8498-GB-GB
	01 ●	71-8498-GP-01*
	03 ●	71-8498-GP-03*
	05 ●	71-8498-GP-05*
	07 ●	71-8498-GP-07*
	12 ●	71-8498-GP-12*
	22 ●	71-8498-GP-22*
	28 ●	71-8498-GP-28*


	Finishing	Code
	GA ●	71-8497-GA-GA
	GB ●	71-8497-GB-GB
	01 ●	71-8497-GP-01*
	03 ●	71-8497-GP-03*
	05 ●	71-8497-GP-05*
	07 ●	71-8497-GP-07*
	12 ●	71-8497-GP-12*
	22 ●	71-8497-GP-22*
	28 ●	71-8497-GP-28*

*Order subject to a minimum of units, check conditions and delivery times with our sales team

*Commande soumise à un minimum d'unités, vérifier les conditions et les délais de livraison avec notre équipe commerciale



Installation with potentiometer
Installation avec potentiomètre



Remote installation with mini built-in ceiling rose
Installation à distance avec monture mini encastré



Tubs Modular Wall Fixture

Tubs Modular Wall Fixture Lineal Simple

BODY MAT	DIF MAT		
AL	PMMA		360°

LED | CRI 92 | W Total 13.1

- 05 Black Noir
- M1 Opal white Blanc opale



*For remote installation only.
Pour installation à distance uniquement.


		K	Real Lm	Structure	Difussor	Code
	PWM 100-240V	2700	1090	05 ●	M1 ○	05-A035-05-M1
	ON-OFF 100-240V	2700	1090	05 ●	M1 ○	05-A036-05-M1
	DALI 100-240V	2700	1090	05 ●	M1 ○	05-A037-05-M1
	PWM 100-240V	3000	1253	05 ●	M1 ○	05-8249-05-M1
	ON-OFF 100-240V	3000	1253	05 ●	M1 ○	05-A015-05-M1
	DALI 100-240V	3000	1253	05 ●	M1 ○	05-A022-05-M1

Tubs Modular Wall Fixture Lineal Double

BODY MAT	DIF MAT		
AL	PMMA		360°

LED | CRI 92 | W Total 26.2

- 05 Black Noir
- M1 Opal white Blanc opale



*For remote installation only.
Pour installation à distance uniquement.


		K	Real Lm	Structure	Difussor	Code
	PWM 100-240V	2700	2180	05 ●	M1 ○	05-A038-05-M1
	ON-OFF 100-240V	2700	2180	05 ●	M1 ○	05-A039-05-M1
	DALI 100-240V	2700	2180	05 ●	M1 ○	05-A040-05-M1
	PWM 100-240V	3000	2506	05 ●	M1 ○	05-8250-05-M1
	ON-OFF 100-240V	3000	2506	05 ●	M1 ○	05-A016-05-M1
	DALI 100-240V	3000	2506	05 ●	M1 ○	05-A023-05-M1

Tubs Modular Wall Fixture Square

BODY MAT	DIF MAT		
AL	PMMA		360°

LED | CRI 92 | W Total 35.2

- 05 Black Noir
- M1 Opal white Blanc opale



*For remote installation only.
Pour installation à distance uniquement.


		K	Real Lm	Structure	Difussor	Code
	PWM 100-240V	2700	2904	05 ●	M1 ○	05-A029-05-M1
	ON-OFF 100-240V	2700	2904	05 ●	M1 ○	05-A030-05-M1
	DALI 100-240V	2700	2904	05 ●	M1 ○	05-A031-05-M1
	PWM 100-240V	3000	3340	05 ●	M1 ○	05-8255-05-M1
	ON-OFF 100-240V	3000	3340	05 ●	M1 ○	05-A013-05-M1
	DALI 100-240V	3000	3340	05 ●	M1 ○	05-A020-05-M1

Tubs Modular Wall Fixture Combination

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 48.1



10-50 mm 18 mm*

*For remote installation only.
Pour installation à distance uniquement.


		K	Real Lm	Structure	Difussor	Code
	PWM 100-240V	2700	3996	05 ●	M1 ○	05-A041-05-M1
	ON-OFF 100-240V	2700	3996	05 ●	M1 ○	05-A042-05-M1
	DALI 100-240V	2700	3996	05 ●	M1 ○	05-A043-05-M1
	PWM 100-240V	3000	4593	05 ●	M1 ○	05-A017-05-M1
	ON-OFF 100-240V	3000	4593	05 ●	M1 ○	05-A018-05-M1
	DALI 100-240V	3000	4593	05 ●	M1 ○	05-A019-05-M1

Tubs Modular Wall Fixture Molecular

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 61.6



10-50 mm 18 mm*

*For remote installation only.
Pour installation à distance uniquement.


		K	Real Lm	Structure	Difussor	Code
	PWM 100-240V	2700	5082	05 ●	M1 ○	05-A032-05-M1
	ON-OFF 100-240V	2700	5082	05 ●	M1 ○	05-A033-05-M1
	DALI 100-240V	2700	5082	05 ●	M1 ○	05-A034-05-M1
	PWM 100-240V	3000	5845	05 ●	M1 ○	05-8279-05-M1
	ON-OFF 100-240V	3000	5845	05 ●	M1 ○	05-A014-05-M1
	DALI 100-240V	3000	5845	05 ●	M1 ○	05-A021-05-M1

Tubs Modular Wall Fixture Reticle

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 140.3



10-50 mm 18 mm*

*For remote installation only.
Pour installation à distance uniquement.

		K	Real Lm	Structure	Difussor	Code
	ON-OFF 100-240V	2700	11621	05 ●	M1 ○	05-A044-05-M1
	DALI 100-240V	2700	11621	05 ●	M1 ○	05-A045-05-M1
	ON-OFF 100-240V	3000	13361	05 ●	M1 ○	05-A024-05-M1
	DALI 100-240V	3000	13361	05 ●	M1 ○	05-A025-05-M1



Ceiling rose surface-mounted
Monture surface



Ceiling rose built-in
Monture encastré



Remote installation with mini built-in ceiling rose
Installation à distance avec monture mini encastré


Tubs Modular Pendant

Tubs Modular Pendant Single 600mm

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 8.8

- 05 Black Noir
- M1 Opal white Blanc opale



10-50 mm

87 × 244 mm (00-A176/00-A088)
84 × 314 mm (00-A177/00-A089)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	726	05 ●	M1 ○	00-A176-05-M1
	DALI 100-240V	2700	726	05 ●	M1 ○	00-A177-05-M1
	ON-OFF 100-240V	2700	726	05 ●	M1 ○	00-A178-05-M1
	DALI 100-240V	2700	726	05 ●	M1 ○	00-A179-05-M1
	ON-OFF 220-240V	3000	835	05 ●	M1 ○	00-A088-05-M1
	DALI 100-240V	3000	835	05 ●	M1 ○	00-A089-05-M1
	ON-OFF 100-240V	3000	835	05 ●	M1 ○	00-A090-05-M1
	DALI 100-240V	3000	835	05 ●	M1 ○	00-A091-05-M1

Tubs Modular Pendant Single 900mm

NEW	BODY MAT	DIF MAT	
	AL	PMMA	

LED | CRI 92 | W Total 13.1

- 05 Black Noir
- M1 Opal white Blanc opale



10-50 mm

87 × 244 mm (00-A180/00-A092)
108 × 314 mm (00-A181/00-A093)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1090	05 ●	M1 ○	00-A180-05-M1
	DALI 100-240V	2700	1090	05 ●	M1 ○	00-A181-05-M1
	ON-OFF 100-240V	2700	1090	05 ●	M1 ○	00-A182-05-M1
	DALI 100-240V	2700	1090	05 ●	M1 ○	00-A183-05-M1
	ON-OFF 220-240V	3000	1253	05 ●	M1 ○	00-A092-05-M1
	DALI 100-240V	3000	1253	05 ●	M1 ○	00-A093-05-M1
	ON-OFF 100-240V	3000	1253	05 ●	M1 ○	00-A094-05-M1
	DALI 100-240V	3000	1253	05 ●	M1 ○	00-A095-05-M1

Tubs Modular Pendant Lineal Double

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 17.6

- 05 Black Noir
- M1 Opal white Blanc opale




10-50 mm

84 × 314 mm (00-A134/00-8248)
87 × 244 mm (00-A138/00-8292)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1452	05 ●	M1 ○	00-A138-05-M1
	DALI 100-240V	2700	1452	05 ●	M1 ○	00-A134-05-M1
	ON-OFF 100-240V	2700	1452	05 ●	M1 ○	00-A139-05-M1
	DALI 100-240V	2700	1452	05 ●	M1 ○	00-A135-05-M1
	ON-OFF 220-240V	3000	1670	05 ●	M1 ○	00-8292-05-M1
	DALI 100-240V	3000	1670	05 ●	M1 ○	00-8248-05-M1
	ON-OFF 100-240V	3000	1670	05 ●	M1 ○	00-A060-05-M1
	DALI 100-240V	3000	1670	05 ●	M1 ○	00-A058-05-M1

Tubs Modular Pendant Rectangular Horizontal




● 05 Black Noir
○ M1 Opal white Blanc opale

LED | CRI 92 | W Total 61.4




		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	5084	05 ●	M1 ○	00-A140-05-M1
	DALI 100-240V	2700	5084	05 ●	M1 ○	00-A128-05-M1
	ON-OFF 100-240V	2700	5084	05 ●	M1 ○	00-A141-05-M1
	DALI 100-240V	2700	5084	05 ●	M1 ○	00-A129-05-M1
	ON-OFF 220-240V	3000	5846	05 ●	M1 ○	00-8296-05-M1
	DALI 100-240V	3000	5846	05 ●	M1 ○	00-8261-05-M1
	ON-OFF 100-240V	3000	5846	05 ●	M1 ○	00-A061-05-M1
	DALI 100-240V	3000	5846	05 ●	M1 ○	00-A055-05-M1

Tubs Modular Pendant Rectangular Vertical




● 05 Black Noir
○ M1 Opal white Blanc opale

LED | CRI 92 | W Total 61.4




		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	5084	05 ●	M1 ○	00-A142-05-M1
	DALI 100-240V	2700	5084	05 ●	M1 ○	00-A126-05-M1
	ON-OFF 100-240V	2700	5084	05 ●	M1 ○	00-A143-05-M1
	DALI 100-240V	2700	5084	05 ●	M1 ○	00-A127-05-M1
	ON-OFF 220-240V	3000	5846	05 ●	M1 ○	00-8299-05-M1
	DALI 100-240V	3000	5846	05 ●	M1 ○	00-8271-05-M1
	ON-OFF 100-240V	3000	5846	05 ●	M1 ○	00-A062-05-M1
	DALI 100-240V	3000	5846	05 ●	M1 ○	00-A054-05-M1

Tubs Modular Pendant Double Arch



● 05 Black Noir
○ M1 Opal white Blanc opale

LED | CRI 92 | W Total 71.2



		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	5906	05 ●	M1 ○	00-A154-05-M1
	DALI 100-240V	2700	5906	05 ●	M1 ○	00-A155-05-M1
	ON-OFF 100-240V	2700	5906	05 ●	M1 ○	00-A156-05-M1
	DALI 100-240V	2700	5906	05 ●	M1 ○	00-A157-05-M1
	ON-OFF 220-240V	3000	6792	05 ●	M1 ○	00-A072-05-M1
	DALI 100-240V	3000	6792	05 ●	M1 ○	00-A073-05-M1
	ON-OFF 100-240V	3000	6792	05 ●	M1 ○	00-A074-05-M1
	DALI 100-240V	3000	6792	05 ●	M1 ○	00-A075-05-M1

*Limitation only for installation with Mini Recessed rosette.
*Limitation uniquement pour l'installation avec patère Mini Recessed.




Tubs Modular Pendant Triplex Arch Cross

NEW	BODY MAT	DIF MAT		
	AL	PMMA		

LED | CRI 92 | W Total 119.7

● 05 Black Noir
○ M1 Opal white Blanc opale



- 10-50 mm
- 87 × 244 mm (00-A158/00-A076)
108 × 314 mm (00-A159/00-A077)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	9951	05 ●	M1 ○	00-A158-05-M1
	DALI 100-240V	2700	9951	05 ●	M1 ○	00-A159-05-M1
	ON-OFF 100-240V	2700	9951	05 ●	M1 ○	00-A166-05-M1
	DALI 100-240V	2700	9951	05 ●	M1 ○	00-A167-05-M1
	ON-OFF 220-240V	3000	11442	05 ●	M1 ○	00-A076-05-M1
	DALI 100-240V	3000	11442	05 ●	M1 ○	00-A077-05-M1
	ON-OFF 100-240V	3000	11442	05 ●	M1 ○	00-A078-05-M1
	DALI 100-240V	3000	11442	05 ●	M1 ○	00-A079-05-M1

Tubs Modular Pendant Lineal Single with Arch

NEW	BODY MAT	DIF MAT		
	AL	PMMA		

LED | CRI 92 | W Total 26.8

● 05 Black Noir
○ M1 Opal white Blanc opale



- 10-50 mm
- 87 × 244 mm (00-A146/00-A064)
108 × 314 mm (00-A147/00-A065)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1863	05 ●	M1 ○	00-A146-05-M1
	DALI 100-240V	2700	2227	05 ●	M1 ○	00-A147-05-M1
	ON-OFF 100-240V	2700	1863	05 ●	M1 ○	00-A148-05-M1
	DALI 100-240V	2700	2227	05 ●	M1 ○	00-A149-05-M1
	ON-OFF 220-240V	3000	2561	05 ●	M1 ○	00-A064-05-M1
	DALI 100-240V	3000	2561	05 ●	M1 ○	00-A065-05-M1
	ON-OFF 100-240V	3000	2143	05 ●	M1 ○	00-A066-05-M1
	DALI 100-240V	3000	2561	05 ●	M1 ○	00-A067-05-M1

Tubs Modular Pendant Lineal Double with Arch

BODY MAT	DIF MAT		
AL	PMMA		

LED | CRI 92 | W Total 40

● 05 Black Noir
○ M1 Opal white Blanc opale



- 10-50 mm
- 87 × 244 mm (00-A150/00-A068)
108 × 314 mm (00-A151/00-A069)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	3316	05 ●	M1 ○	00-A150-05-M1
	DALI 100-240V	2700	3316	05 ●	M1 ○	00-A151-05-M1
	ON-OFF 100-240V	2700	3316	05 ●	M1 ○	00-A152-05-M1
	DALI 100-240V	2700	3316	05 ●	M1 ○	00-A153-05-M1
	ON-OFF 220-240V	3000	3813	05 ●	M1 ○	00-A068-05-M1
	DALI 100-240V	3000	3813	05 ●	M1 ○	00-A069-05-M1
	ON-OFF 100-240V	3000	3813	05 ●	M1 ○	00-A070-05-M1
	DALI 100-240V	3000	3813	05 ●	M1 ○	00-A071-05-M1

Tubs Modular Pendant Lineal Triangular

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 26.4

- 05 Black Noir
- M1 Opal white Blanc opale



10-50 mm

87 x 244 mm (00-A168/00-A080)
108 x 314 mm (00-A169/00-A081)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	2178	05 ●	M1 ○	00-A168-05-M1
	DALI 100-240V	2700	2178	05 ●	M1 ○	00-A169-05-M1
	ON-OFF 100-240V	2700	2178	05 ●	M1 ○	00-A170-05-M1
	DALI 100-240V	2700	2178	05 ●	M1 ○	00-A171-05-M1
	ON-OFF 220-240V	3000	2505	05 ●	M1 ○	00-A080-05-M1
	DALI 100-240V	3000	2505	05 ●	M1 ○	00-A081-05-M1
	ON-OFF 100-240V	3000	2505	05 ●	M1 ○	00-A082-05-M1
	DALI 100-240V	3000	2505	05 ●	M1 ○	00-A083-05-M1

Tubs Modular Pendant Double Triangular

NEW	BODY MAT	DIF MAT	
	AL	PMMA	

LED | CRI 92 | W Total 52.4

- 05 Black Noir
- M1 Opal white Blanc opale



10-50 mm

87 x 244 mm (00-A172/00-A084)
108 x 314 mm (00-A173/00-A085)

18 mm

		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	4360	05 ●	M1 ○	00-A172-05-M1
	DALI 100-240V	2700	4360	05 ●	M1 ○	00-A173-05-M1
	ON-OFF 100-240V	2700	4360	05 ●	M1 ○	00-A174-05-M1
	DALI 100-240V	2700	4360	05 ●	M1 ○	00-A175-05-M1
	ON-OFF 220-240V	3000	5012	05 ●	M1 ○	00-A084-05-M1
	DALI 100-240V	3000	5012	05 ●	M1 ○	00-A085-05-M1
	ON-OFF 100-240V	3000	5012	05 ●	M1 ○	00-A086-05-M1
	DALI 100-240V	3000	5012	05 ●	M1 ○	00-A087-05-M1


Tubs Modular Pendant Hexagonal

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 78.6

- 05 Black Noir
- M1 Opal white Blanc opale

Min. 400
Max. 2500



10-50 mm

92 x 304 mm

18 mm


		K	Real Lm	Structure	Difussor	Code
	DALI 100-240V	2700	6540	05 ●	M1 ○	00-A130-05-M1
	DALI 100-240V	3000	7518	05 ●	M1 ○	00-8276-05-M1
	DALI 100-240V	2700	6540	05 ●	M1 ○	00-A131-05-M1
	DALI 100-240V	3000	7518	05 ●	M1 ○	00-A056-05-M1

Tubs Modular Pendant Molecular

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 99.4

- 05 Black Noir
- M1 Opal white Blanc opale



- 10-50 mm
- 92 x 304 mm
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	DALI 100-240V	2700	5450	05 ●	M1 ○	00-A132-05-M1
	DALI 100-240V	3000	58771	05 ●	M1 ○	00-8280-05-M1
	DALI 100-240V	2700	5450	05 ●	M1 ○	00-A133-05-M1
	DALI 100-240V	3000	58771	05 ●	M1 ○	00-A057-05-M1

Tubs Modular Pendant Configuration Lineal x 5

NEW	BODY MAT	DIF MAT	
	AL	PMMA	

LED | CRI 92 | W Total 44

- 05 Black Noir
- M1 Opal white Blanc opale



- 10-50 mm
- 84 x 314 mm (00-A136/00-8285)
87 x 244 mm (00-A137/00-8301)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	3630	05 ●	M1 ○	00-A144-05-M1
	DALI 100-240V	2700	3630	05 ●	M1 ○	00-A136-05-M1
	ON-OFF 100-240V	2700	3630	05 ●	M1 ○	00-A145-05-M1
	DALI 100-240V	2700	3630	05 ●	M1 ○	00-A137-05-M1
	ON-OFF 220-240V	3000	4175	05 ●	M1 ○	00-8301-05-M1
	DALI 100-240V	3000	4175	05 ●	M1 ○	00-8285-05-M1
	ON-OFF 100-240V	3000	4175	05 ●	M1 ○	00-A063-05-M1
	DALI 100-240V	3000	4175	05 ●	M1 ○	00-A059-05-M1

Tubs Modular Pendant Track with 4 Spotlights

BODY MAT	DIF MAT	
AL	PMMA	

LED | CRI 92 | W Total 15

- 05 Black Noir
- M1 Opal white Blanc opale



- 10-50 mm
- 87 x 244 mm (00-A197/00-A108)
108 x 314 mm (00-A199/00-A109)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1152	05 ●	M1 ○	00-A196-05-M1
	DALI 100-240V	2700	1152	05 ●	M1 ○	00-A197-05-M1
	ON-OFF 100-240V	2700	1152	05 ●	M1 ○	00-A198-05-M1
	DALI 100-240V	2700	1152	05 ●	M1 ○	00-A199-05-M1
	ON-OFF 220-240V	3000	1204	05 ●	M1 ○	00-A108-05-M1
	DALI 100-240V	3000	1204	05 ●	M1 ○	00-A109-05-M1
	ON-OFF 100-240V	3000	1204	05 ●	M1 ○	00-A110-05-M1
	DALI 100-240V	3000	1324	05 ●	M1 ○	00-A111-05-M1

Tubs Modular Pendant Track with 3 Disc

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 16



10-50 mm

87 × 244 mm (00-A200/00-A112)
108 × 314 mm (00-A201/00-A113)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	183	05 ●	M1 ○	00-A200-05-M1
	DALI 100-240V	2700	183	05 ●	M1 ○	00-A201-05-M1
	ON-OFF 100-240V	2700	183	05 ●	M1 ○	00-A202-05-M1
	DALI 100-240V	2700	183	05 ●	M1 ○	00-A203-05-M1
	ON-OFF 220-240V	3000	210	05 ●	M1 ○	00-A112-05-M1
	DALI 100-240V	3000	192	05 ●	M1 ○	00-A113-05-M1
	ON-OFF 100-240V	3000	210	05 ●	M1 ○	00-A114-05-M1
	DALI 100-240V	3000	192	05 ●	M1 ○	00-A115-05-M1

Tubs Modular Pendant Track with 5 Spheres

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 26.5



10-50 mm

87 × 244 mm (00-A204/00-A116)
108 × 314 mm (00-A205/00-A117)

18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	305	05 ●	M1 ○	00-A204-05-M1
	DALI 100-240V	2700	305	05 ●	M1 ○	00-A205-05-M1
	ON-OFF 100-240V	2700	305	05 ●	M1 ○	00-A206-05-M1
	DALI 100-240V	2700	305	05 ●	M1 ○	00-A207-05-M1
	ON-OFF 220-240V	3000	350	05 ●	M1 ○	00-A116-05-M1
	DALI 100-240V	3000	320	05 ●	M1 ○	00-A117-05-M1
	ON-OFF 100-240V	3000	350	05 ●	M1 ○	00-A118-05-M1
	DALI 100-240V	3000	320	05 ●	M1 ○	00-A119-05-M1

Tubs Modular Pendant Lineal with 3 Downlights

BODY MAT	DIF MAT	
AL	PMMA	

- 05 Black Noir
- M1 Opal white Blanc opale

LED | CRI 92 | W Total 33.5



10-50 mm

87 × 244 mm (00-A192/00-A104)
108 × 314 mm (00-A193/00-A105)

18 mm

		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1638	05 ●	M1 ○	00-A192-05-M1
	DALI 100-240V	2700	1638	05 ●	M1 ○	00-A193-05-M1
	ON-OFF 100-240V	2700	1638	05 ●	M1 ○	00-A194-05-M1
	DALI 100-240V	2700	1638	05 ●	M1 ○	00-A195-05-M1
	ON-OFF 220-240V	3000	1880	05 ●	M1 ○	00-A104-05-M1
	DALI 100-240V	3000	1880	05 ●	M1 ○	00-A105-05-M1
	ON-OFF 100-240V	3000	1880	05 ●	M1 ○	00-A106-05-M1
	DALI 100-240V	3000	1880	05 ●	M1 ○	00-A107-05-M1




Tubs Modular Pendant Track with 2 Lineal

NEW	BODY MAT	DIF MAT		
	AL	PMMA		

LED | CRI 92 | W Total 17.6

- 05 Black Noir
- M1 Opal white Blanc opale



- 10-50 mm
- 87 × 244 mm (00-A184/00-A096)
- 108 × 314 mm (00-A185-00-A097)
- 18 mm


		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	1452	05 ●	M1 ○	00-A184-05-M1
	DALI 100-240V	2700	1452	05 ●	M1 ○	00-A185-05-M1
	ON-OFF 100-240V	2700	1452	05 ●	M1 ○	00-A186-05-M1
	DALI 100-240V	2700	1452	05 ●	M1 ○	00-A187-05-M1
	ON-OFF 220-240V	3000	1670	05 ●	M1 ○	00-A096-05-M1
	DALI 100-240V	3000	1670	05 ●	M1 ○	00-A097-05-M1
	ON-OFF 100-240V	3000	1670	05 ●	M1 ○	00-A098-05-M1
	DALI 100-240V	3000	1670	05 ●	M1 ○	00-A099-05-M1

Tubs Modular Pendant Track with 3 Lineal

BODY MAT	DIF MAT		
AL	PMMA		

LED | CRI 92 | W Total 39.3

- 05 Black Noir
- M1 Opal white Blanc opale



- 10-50 mm
- 87 × 244 mm (00-A188/00-A100)
- 108 × 314 mm (00-A189/00-A101)
- 18 mm

		K	Real Lm	Structure	Difussor	Code
	ON-OFF 220-240V	2700	3270	05 ●	M1 ○	00-A188-05-M1
	DALI 100-240V	2700	3270	05 ●	M1 ○	00-A189-05-M1
	ON-OFF 100-240V	2700	3270	05 ●	M1 ○	00-A190-05-M1
	DALI 100-240V	2700	3270	05 ●	M1 ○	00-A191-05-M1
	ON-OFF 220-240V	3000	3759	05 ●	M1 ○	00-A100-05-M1
	DALI 100-240V	3000	3759	05 ●	M1 ○	00-A101-05-M1
	ON-OFF 100-240V	3000	3759	05 ●	M1 ○	00-A102-05-M1
	DALI 100-240V	3000	3759	05 ●	M1 ○	00-A103-05-M1